

ROV [24] on granite must be used with caution since time was not a significant variable in their experiments. Hence, equilibrium was not attained. When time is considered in materials which show increases in  $\sigma$  upon disordering below melting, no significant electrical distinction may be made between a partial melt and a solid of similar composition which is slightly cooler.




Fig. 7. The electrical conductivity of basalt (DUBA et al. [16]). Lines are coded for  $f_{O_2}$ : solid lines are for  $CO_2/CO$  gas mix near the QMF buffer, dotted lines for pure  $CO_2$ , and broken lines for air. Constant temperature portions of lines are indicated by heavy shading, with time, in hours, to the side. Normal heating rate is  $100^\circ C/h$ . The solidus for this material is indicated by the vertical line. The heavy lines with almost vertical shading are the limits of literature  $\sigma$  data for basalt

However, partial melts such as basalt in a solid whose  $\sigma$  is controlled by olivine will show a conductivity contrast of two to four orders of magnitude from the data presented in Figs 3 and 7.

## 6. Conclusion

In summary, temperature and  $f_{O_2}$  are the most important variables to consider in the interpretation of laboratory  $\sigma$  measurements. In addition, kinetics becomes important if a time-dependent reaction such as order-disorder has a significant effect on  $\sigma$  as in albite and basalt. Pressure is not a significant variable except where it produces crack closure which limits water movement in rocks near the surface [4] and at depth where phase transitions may be involved.

### Acknowledgements

This work was supported by NASA and performed under the auspices of ERDA contract # W-7405-ENG-48. I wish to thank my colleagues H. C. HEARD, A. J. PIWINSKII, and R. N. SCHOCK for the many helpful discussions and experimental results which led to this review.

### REFERENCES

1. AKIMOTO, S. I.—FUJISAWA, H.: Demonstration of the electrical conductivity jump produced by the olivine—spinel transition. *J. Geophys. Res.*, 70 (1965), 443—449.
2. BANKS, R. J.: The overall conductivity distribution of the earth. *J. Geomag. Geoelectr.*, 24 (1972), 337—351.
3. BOYD, F. R.: A pyroxene geotherm. *Geochim. Cosmochim. Acta*, 37 (1973), 2533—2546.
4. BRACE, W. F.—ORANGE, A. S.—MADDEN, T. R.: The effect of pressure on the electrical resistivity of water-saturated crystalline rocks. *J. Geophys. Res.*, 70 (1965), 5569—5678.
5. BRADLEY, R. S.—JAMIL, A. K.—MUNRO, D. C.: Electrical conductivity of fayalite and spinel. *Nature*, 193 (1962), 965—966.
6. BRADLEY, R. S.—JAMIL, A. K.—MUNRO, D. C.: The electrical conductivity of olivine at high temperatures and pressures. *Geochim. Cosmochim. Acta*, 28 (1964), 1669—1678.
7. COUGHLIN, J. P.: Contributions to the data on theoretical metallurgy. XII. Heats and free energies of formation of inorganic oxides. U. S. Bureau of Mines Bull. 1954, 542.
8. DEINES, P.—NAFZIGER, R. H.—ULMER, G. C.—WOERMANN, E.: Temperature-oxygen fugacity tables for selected gas mixtures in the system C—H—O at one atmosphere total pressure. Bulletin of the Earth and Mineral Sciences Experiment Station. Penn. State Univ. 88, 1974.
9. DUBA, A.: Electrical conductivity of olivine. *J. Geophys. Res.*, 77 (1972), 2483—2495.
10. DUBA, A.: Electrical conductivity of hot-pressed olivine aggregates. Lawrence Livermore Laboratory Rept. UCRL-74454-Abstract, *EOS* 54 (1973), 505—506.
11. DUBA, A.—NICHOLLS, I. A.: The influence of oxidation state on the electrical conductivity of olivine. *Earth Planet. Sci. Lett.*, 18 (1973), 59—64.
12. DUBA, A.—ITO, J.—JAMIESON, J. C.: The effect of ferric iron on the electrical conductivity of olivine. *Earth Planet. Sci. Lett.*, 18 (1973), 279—284.
13. DUBA, A.—BOLAND, J. N.—RINGWOOD, A. E.: Electrical conductivity of pyroxene. *J. Geol.*, 81 (1973), 727—735.
14. DUBA, A.—HEARD, H. C.—SCHOCK, R. N.: Electrical conductivity of olivine at high pressure and under controlled oxygen fugacity. *J. Geophys. Res.*, 79 (1974), 1667—1673.
15. DUBA, A.—HEARD, H. C.—PIWINSKII, A.—SCHOCK, R. N.: Electrical conductivity and the geotherm. Proc. Int. Conf. on Geothermometry and Geobarometry. Penn. State Univ. Oct., 1975.
16. DUBA, A.—HO, P.—PIWINSKII, A.: Electrical conductivity studies of igneous rocks: fusion of basalt. *Abstract, EOS* 56 (1975), 1075.
17. DUBA, A.—HEARD, H. C.—SCHOCK, R. N.: Electrical conductivity of orthopyroxene to 1400 °C and the selenotherm. Proc. Lunar Sci. Conf., 7th 3173—3181, 1976.
18. EUGSTER, N. P.—WONES, D. R.: Stability of the ferruginous biotite, annite. *J. Petrology*, 3 (1972), 83—125.
19. HAMILTON, R. M.: Temperature variation at constant pressures of the electrical conductivity of periclase and olivine. *J. Geophys. Res.*, 70 (1965), 5679—5692.
20. HUGHES, H.: The electrical conductivity of the earth's interior. Ph. D. thesis, 131 pp., Univ. of Cambridge, Cambridge, England, 1953.
21. JANDER, W.—STAMM, W.: Der innere Aufbau fester anorganischer Verbindungen bei höheren Temperaturen. *Zeitschrift für anorganische und allgemeine Chemie*, 207 (1932), 289—307.
22. KASAMEYER, P. W.: Low frequency magnetotelluric survey of New England, Ph. D. thesis, MIT, Cambridge, Massachusetts, 1974.
23. KHITAROV, N.—SLUTSKII, B.: The effect of pressure on the melting temperatures of albite and basalt (based on electroconductivity measurements). *Geochem. Ing.*, 2 (1965), 1034—1041.
24. LEBEDEV, E. B.—KHITAROV, N. I.: Dependence of the beginning of melting of granite and the electrical conductivity of its melt on high vapor pressure. *Geochem. Ing.*, 1 (1964), 193—197.
25. MACGREGOR, I. D.—BASU, A. R.: Thermal structure of the lithosphere: a petrologic model. *Science*, 185 (1974), 1007—1011.