

TABLE 7 CONTINUED

GAS NO.	P, ATM.	DENSITY, G-MOLES/L	k x 10 ⁴ , CAL/CM SEC°C	
			ETHANE (ARGON CAL.)	
9	.192 M/F NITROGEN	.808 M/F		
9- 1	1.	3.49E-02	.675	
9- 2	25.	9.41E-01	.725	
9- 3	50.	2.04E-00	.803	
9- 4	60.	2.54E-00	.844	
9- 5	70.	3.06E-00	.891	
9- 6	80.	3.63E-00	.944	
9- 7	90.	4.21E-00	1.00	
9- 8	100.	4.82E-00	1.06	
9- 9	125.	6.31E-00	1.22	
9-10	150.	7.61E-00	1.35	
9-11	175.	8.67E-00	1.46	
9-12	200.	9.54E-00	1.55	
9-13	250.	1.08E+01	1.71	
9-14	300.	1.18E+01	1.84	
9-15	400.	1.32E+01	2.08	
9-16	500.	1.42E+01	2.29	
9-17	750.	*	2.69	

S = .348, 1 ≤ P ≤ 600; S = .246, 103 ≤ P ≤ 834

GAS NO.	P, ATM.	DENSITY, G-MOLES/L	k x 10 ⁴ , CAL/CM SEC°C	
			ETHANE (ARGON CAL.)	
10	.368 M/F NITROGEN	.632 M/F		
10- 1	1.	3.49E-02	.675	
10- 2	25.	9.29E-01	.719	
10- 3	50.	1.98E-00	.779	
10- 4	60.	2.45E-00	.808	
10- 5	70.	2.93E-00	.839	
10- 6	80.	3.44E-00	.873	
10- 7	90.	3.96E-00	.910	
10- 8	100.	4.49E-00	.949	
10- 9	125.	5.82E-00	1.06	
10-10	150.	7.05E-00	1.17	
10-11	175.	8.13E-00	1.28	
10-12	200.	9.05E-00	1.38	
10-13	250.	1.05E+01	1.54	
10-14	300.	1.16E+01	1.65	
10-15	400.	1.32E+01	1.83	
10-16	500.	1.42E+01	2.02	
10-17	750.	*	2.45	

S = .338, 1 ≤ P ≤ 493; S = .260, 381 ≤ P ≤ 3000