




NOTES



1. MAT'L: HARDEN "B" STEEL FORGING. H.T. R_c 28-32
2. DIMENSION "A" MAY HAVE ANY VALUE BETWEEN 14.213 AND 14.245. DIMENSION "B" MAY HAVE ANY VALUE BETWEEN 15.641 AND 15.673. HOWEVER THE VALUES OF "A" AND "B" SHALL NOT VARY MORE THAN ±.002 FROM BASE TO BASE FOR THE FOUR BASES REQUIRED FOR A TETRAHEDRON ASSEMBLY.

2 (TYP)

SEE H.T.H. DWG. DATED OCT. 10, 1963

NEXT ASSY D-320 & D-321

UNLESS OTHERWISE SPECIFIED
TOLERANCE: FRACTIONS $\pm \frac{1}{64}$ DECIMALS $\pm .005$
BREAK SHARP CORNERS AND EDGES $\frac{1}{32}$ ALL OVER
SURFACE FINISH 125 ALL OVER

1. ADDED H.T. TEMPL 2-30-63 JAW
2. ADDED 3/16 DIA. WAS 3/8 6-2-64
2. ADDED 3/16 DIA. WAS 3/8 6-2-64



McCARTNEY MFG. CO.
BAXTER SPRINGS KANSAS

RAM BASE
600 TON TETRAHEDRAL PRESS

SCALE HALF SIZE	DATE 7-17-63
MAT'L SEE NOTE	HEAT TREAT NOTED
CATALOG NO.	DWG. NO. D-315

REV 2