

REFERENCES

- (1) S. LEHONGRE et Al.
Critical nucleate boiling of liquid helium in narrow tubes and annuli.
Proceedings of ICEC2-Brighton 1968, pp 274-275
- (2) B. BERTMAN and T. A. KITCHENS
Heat transport in superfluid filled capillaries
Cryogenics, Fev. 1968, pp 36-41
- (3) C. H. PASSOW et Al.
Measurement of the heat transport by conductivity of superfluid helium in 4 m long pipes of 1-10 mm diameter.
Cryogenics, Avril 1971, pp 143-145
- (4) R. C. CHAPMAN et Al.
Peak heat flux density of superfluid helium II in insulated vertical channels with closed ends and wells.
Adv. Cryog. Eng. 15, 1969, pp 290-298.
- (5) C. LINNET and T. H. K. FREDERKING
Cooling limits of unsaturated He II during supercritical heat flow in channels.
Preprint 1.34, XIIIe International Congress of Refrigeration, Washington 1971.
- (6) G. KRAFT
Critical heat flux of saturated and subcooled helium II in long tubes.
Preprint ICEC 4 Eindhoven 1972.
- (7) P. ROUBEAU
C.R. Acad. Sci. Paris, 273, n° 14, série B pp 581-583 et comm. privée.
- (8) J. S. GOODLING and R. K. IREY
Non boiling and film boiling heat transfer to a saturated bath of liquid helium.
Adv. Cryog. Eng. 14, 1968, pp 159-168
- (9) R. C. CHAPMAN
Conditions for the onset of vaporization in superfluid liquid He II in the presence of heat flow.
J. of Low temp. Phy. 4, n° 5, 1971, pp 485-488
- (10) G. P. LEMIEUX and A. C. LEONARD
Maximum and minimum heat flux in helium II for a 76.2 μ diameter horizontal wire at depths of immersion up to 70 cm.
Adv. Cryog. Eng. 13, 1967, pp 624-631