

on the basis of one group of samples labeled "high grade", which show K values similar to those in the Opinicon Lake region, and another group labeled "low grade" which show substantially higher K values of 10–12. These latter rocks are suggested to have been metamorphosed at temperatures of roughly 400°C. No mineral assemblages are quoted by Saxena and Hollander (1969), but examination of the original sources shows that the supposedly "low grade" rocks all contain sillimanite, which according to the data of Gilbert *et al.* (1968) implies a temperature greater than 622°C. Several contain kyanite in addition, implying high pressures. Clearly such rocks cannot be correctly termed low grade metamorphic rocks. Similar K values of 10–12 are found by Gable and Sim (1969) for part of the Front Range in Colorado, where migmatite is abundant, and it is expressly stated that the rocks must have been above the melting temperature of granitic compositions. The temperatures implied by the data of Gable and Sim (1969) are approximately 850° at pressures of 6.3 kb. Significantly, the non-migmatitic areas have lower K values of 6–8, corresponding to temperatures of roughly 760° at 6.0 kb.

References

- Currie, K. L.: The solubility of albite in supercritical water in the range 400–650°C, and 750–3500 bars. *Am. J. Sci.* **266**, 321–341 (1968).
- Ermanovics, I. F.: The origin of granitoid rocks in the Loughborough Lake region, Ontario — a contribution to the syenite problem. *Geol. Surv. Canada, Bull.* **199** (in press).
- Deer, W. A., Howie, R. A., Zussman, J.: *Rock-forming minerals*, vol. 1, Ortho and ring silicates, 435 p. London: Longmans Green and Co. 1963.
- Evans, B. W.: Application of a reaction rate method to the breakdown of muscovite plus quartz. *Am. J. Sci.* **263**, 647–668 (1965).
- Gable, D. J., Sims, P. K.: Geology and regional metamorphism of some high grade cordierite gneisses, Front Range, Colorado. *Geol. Soc. Am. Spec. Papers* **128** (1969).
- Gilbert, M. C., Bell, P. M., Richardson, S. W.: The andalusite-sillimanite transition and the aluminosilicate triple point. *Carnegie Inst. Wash., Yearbook* **67**, 135–137 (1968).
- Goldsmith, J. R., Heard, H. C.: Subsolidus phase relations in the system $\text{CaCO}_3\text{--MgCO}_3$. *J. Geol.* **69**, 46–71 (1961).
- Henson, B. S., Green, D. H.: Experimental data on coexisting cordierite and garnet. *Phys. Earth. Planetary Interiors* **3**, 431 (1970).
- Hirschberg, A., Winkler, H. G. F.: Stability relations between cordierite, chlorite and almandine during metamorphism. *Contr. Mineral. and Petrol.* **18**, 17–42.
- Holdaway, M. J.: The stability of andalusite. *Geol. Soc. Am. Abstracts*, p. 140 (1968).
- Iiyama, T.: Optical properties and unit cell dimensions of cordierite and indialite. *Mineral J. Japan* **1**, 372 (1956).
- Kretz, R.: Some applications of thermodynamics to coexisting minerals of variable composition. *J. Geol.* **69**, 361–387 (1961).
- Reinhardt, E. W.: Phase relations in cordierite bearing gneisses from the Gananoque area, Ontario. *Can. J. Earth Sci.* **5**, 455–482 (1968).
- Richardson, S. W.: Staurolite stability in part of the system Fe-Al-Si-O-H; *J. Petrol.* **9**, 467–488 (1968).
- Rickwood, P. C.: On recasting analyses of garnet into end member molecules. *Contr. Mineral. and Petrol.* **18**, 175–198 (1968).
- Saxena, S. K., Hollander, N. B.: Distribution of iron and magnesium among coexisting biotite, garnet, and cordierite. *Am. J. Sci.* **267**, 210–216 (1969).
- Schreyer, W.: Zur Stabilität des Ferrocordierits. *Beitr. Mineral. Petrog.* **11**, 297–322 (1965).
- Yoder, H. S.: The system Mg-cordierite and related rocks. *Neues Jahrb. Mineral. Abhandl.* **101**, 271–342 (1964).

- Wones, D. E., Eugster, H. P.: Stability of biotite; experiment, theory and application. *Am. Mineralogist* **50**, 1228-1272 (1965).
- Wynne-Edwards, H. R.: Westport map area, Ontario, with special emphasis on the Precambrian rocks. *Geol. Surv. Canada Memoir* **346** (1967).
- Hay, P. W.: Coexisting cordierite and garnet from regionally metamorphosed rocks, Westport area, Ontario. *Can. Mineralogist* **7**, 453-478 (1963).
- Zen, E-An: The stability relations of the polymorphs of aluminum silicate: a survey and some comments. *Am. J. Sci.* **267**, 297-309 (1969).

Dr. K. L. Currie
Geological Survey of Canada
601 Booth Street
Ottawa, K1A 0E8, Canada