

In the latter paper these are referred to as "uncrystallographic" slip bands. In both studies these structures were found in crystals in which more than one slip system operated.

Further work is necessary to test this twofold hypothesis of the origin of natural lamellae. The answer should be found, however, in more extensive phase-contrast and electron microscopy of natural lamellae.

EPILOGUE

Since the purpose of this paper is the demonstration of basal slip in quartz, the discussion has been restricted to a relatively simple set of structures developed in experimentally deformed quartz. Other structures are present in the experimentally deformed quartz, exhibiting considerable variety and in many cases greater complexity than those discussed above. These have not yet been studied in such detail. Study of the structures in naturally deformed quartz with phase-contrast microscopy and with an optical compensator also reveals some variety and complexity in these structures. Examination by electron microscopy of the structures in both experimentally deformed and natural samples promises to be very revealing. Our preliminary work in this aspect of the study has been rewarding and suggests that development of better techniques for chemical polishing and improved etching and replication of surfaces of quartz would be very productive.

The discovery that quartz may be deformed and recrystallized with ease in the

laboratory and that the resulting material bears so much resemblance to naturally deformed quartz leads one to hope that further studies may reveal additional diagnostic features of lamellae and other structures, which may aid in unraveling the complex tectonic history of rocks. Our experience leads us to believe that most, and possibly all, of the features found in quartz in naturally deformed rocks can be reproduced in the laboratory under known conditions and their mode of origin determined without ambiguity.

The above demonstration that dislocation arrays and walls can explain all the structures of deformed quartz so far studied in detail, plus the power of new observational techniques, seems to portend wholly new possibilities for the quantitative study of these features.

ACKNOWLEDGMENTS.—This work was made possible by grant 678-A of the Petroleum Research Fund. NSF grant 16195 also provided essential support. Dr. J. M. Burgers stimulated us to make the stress-optical calculations. Dr. J. R. Meyer-Arendt pointed out the danger of artifacts in phase-contrast microscopy. Dr. R. L. Steere introduced us to electron microscopy. M. Berman performed several critical experiments. J. de Grosse provided vital assistance in special preparation of sections for optical and electron microscopy. Discussions with Dr. W. Barclay Kamb and Dr. J. F. Nye have been most helpful. We are particularly indebted to Dr. Y. T. Chou for deriving the stress fields due to dislocations in quartz and for making these solutions available to us prior to publication.

REFERENCES CITED

- BAILEY, S. W., BELL, R. A., and PENG, C. J., 1958, Plastic deformation of quartz in nature: *Geol. Soc. America Bull.*, v. 69, p. 1443-1466.
- BARRETT, C. S., 1952, *Structure of metals*, 2d ed.: New York, McGraw-Hill Book Co.
- CAHN, R. W., 1951, Slip and polygonization in aluminum: *Jour. Inst. Metals*, v. 79, p. 129-158.
- CARTER, N. L., CHRISTIE, J. M., and GRIGGS, D. T., 1964, Experimental deformation and recrystallization of quartz: *Jour. Geology*, v. 72, p. 687-733.
- CHOU, Y. T., 1962, Interaction of parallel dislocations in a hexagonal crystal: *Jour. Applied Phys.*, v. 33, p. 2747-2751.
- , 1963, Personal communication.
- CHRISTIE, J. M., CARTER, N. L., and GRIGGS, D. T., 1961, Experimental evidence for a basal slip mechanism in quartz (Abs.): *Science*, v. 134, p. 1427.
- and GREEN, H. W., 1964, Several new slip mechanisms in quartz: *Am. Geophys. Union Trans.*, v. 45, p. 103.

- COTTRELL, A. H., 1953, Dislocations and plastic flow in crystals: London, Oxford University Press.
- HANSEN, E. C., and BORG, I. Y., 1962, The dynamic significance of deformation lamellae in quartz of a calcite-cemented sandstone: *Am. Jour. Sci.*, v. 260, p. 321-336.
- HESS, J. B., and BARRETT, C. S., 1949, Structure and nature of kink bands in zinc: *Amer. Inst. Min. Met. Eng. Trans.*, v. 185, p. 599-604.
- HONEYCOMBE, R. W. K., 1952, Inhomogeneities in the plastic deformation of metal crystals, I-II: *Jour. Inst. Metals*, v. 80, p. 45-56.
- HUNTINGTON, H. B., 1958, The elastic constants of crystals: *Solid State Physics*, v. 7, p. 213-351.
- KUHLMANN-WILSDORF, D., and WILSDORF, H., 1953, The surface structures of deformed aluminum, copper, silver and alpha-brass, and their theoretical interpretation: *Acta Metallurgica*, v. 1, p. 394-413.
- NYE, J. F., 1957, Physical properties of crystals: London, Oxford University Press.
- OROWAN, E., 1942, A type of plastic deformation new in metals: *Nature*, v. 149, p. 643.
- PÖCKELS, F., 1906, *Lehrbuch der Kristalloptik*: Leipzig, B. G. Teubner.
- TURNER, F. J., GRIGGS, D. T., and HEARD, H., 1954, Experimental deformation of calcite crystals: *Geol. Soc. America Bull.*, v. 65, p. 883-934.
- WOLTER, H., 1956, Schlieren-, Phasenkontrast- und Lichtschnittverfahren: *Handbuch der Physik*, v. 24, p. 555-641.