

Comparison of the flow properties of rocks at crustal conditions,
HEARD, H.C.

A theoretical model of the dilatant behavior of a brittle rock,
Schock, R. N., CHERRY, J. T., and Sweet J.

Temperature dependence of single-crystal spinel ($MgAl_2O_4$) elastic constants
from 293 to 423 K measured by light-sound scattering in the Raman-Nath
region,

Schock, R. N., LIU, H.-P., and Anderson, D. L.

Rock deformation at high pressures: models and physical properties,
SCHOCK, R. N.

Quasi-static deformation of porous beryllium and aluminum,
SCHOCK, R. N., Abey, A. E., and Duba, A.

Constitutive relation for a granodiorite in compression,
SCHOCK, R. N.

A constitutive relation describing dilatant behavior in Climax stock
granodiorite,
SCHOCK, R. N.

Geothermal Studies

Laboratory electrical conductivity studies: geothermal prospecting aids,
DUBA, A., Piwinskii, A. J., and Santor, M. L.

Electrical conductivity studies of igneous rocks: fusion of basalt,
DUBA, A., Ho, P., and Piwinskii, A. J.

Geothermal exploration: an additional ambiguity in the interpretation of
resistivity anomalies,
PIWINSKII, A. J., and Duba, A.

The effect of electrical potential on scale formation in Salton Sea brine,
SCHOCK, R. N., and Duba, A.

High-Pressure Phase Studies

San Francisco: a suburb of Los Angeles in 1999?,
PIWINSKII, A. J.

'Granites' and granites: the nexus between magmatism and tectonic settings,
PIWINSKII, A. J.

Stoichiometry and structure of LiH to 6.0 GPa and 820 K,
PIWINSKII, A. J., Lilley, E. M., and Smith, G. S.