

Naval Ordnance Laboratory, White Oak, Md.
(NOL technical report 63-134)

THE USE OF A KNOCK-OFF TUBE AS A QUICK PRES-
SURE-RELEASE MECHANISM (U), by Robert L.
Davis. 4 May 1964. v.p. illus., charts,
tables, diagrs. NOL task-285.

UNCLASSIFIED

This report presents an analysis of the use
of a knock-off tube as a quick pressure-re-
lease mechanism for a piezoelectric gage cali-
bration system. This system is capable of de-
veloping pressures up to 50,000 psi in a
closed oil filled chamber. An equation relat-
ing the pressure-release time to the initial
conditions of the calibration system has been
derived and verified for select choices of
initial conditions that are compatible with
requirements of the NOL reactor-vessel con-
tainment program.

1. Calibrators
 2. Gages,
Piezoelectric -
 3. Reactors -
Explosions
- I. Title
II. Davis,
Robert L.
III. Project

Abstract card is
unclassified.

Naval Ordnance Laboratory, White Oak, Md.
(NOL technical report 63-134)

THE USE OF A KNOCK-OFF TUBE AS A QUICK PRES-
SURE-RELEASE MECHANISM (U), by Robert L.
Davis. 4 May 1964. v.p. illus., charts,
tables, diagrs. NOL task-285.

UNCLASSIFIED

This report presents an analysis of the use
of a knock-off tube as a quick pressure-re-
lease mechanism for a piezoelectric gage cali-
bration system. This system is capable of de-
veloping pressures up to 50,000 psi in a
closed oil filled chamber. An equation relat-
ing the pressure-release time to the initial
conditions of the calibration system has been
derived and verified for select choices of
initial conditions that are compatible with
requirements of the NOL reactor-vessel con-
tainment program.

1. Calibrators
 2. Gages,
Piezoelectric -
 3. Reactors -
Explosions
- I. Title
II. Davis,
Robert L.
III. Project

Abstract card is
unclassified.

Naval Ordnance Laboratory, White Oak, Md.
(NOL technical report 63-134)

THE USE OF A KNOCK-OFF TUBE AS A QUICK PRES-
SURE-RELEASE MECHANISM (U), by Robert L.
Davis. 4 May 1964. v.p. illus., charts,
tables, diagrs. NOL task-285.

UNCLASSIFIED

This report presents an analysis of the use
of a knock-off tube as a quick pressure-re-
lease mechanism for a piezoelectric gage cali-
bration system. This system is capable of de-
veloping pressures up to 50,000 psi in a
closed oil filled chamber. An equation relat-
ing the pressure-release time to the initial
conditions of the calibration system has been
derived and verified for select choices of
initial conditions that are compatible with
requirements of the NOL reactor-vessel con-
tainment program.

1. Calibrators
 2. Gages,
Piezoelectric -
 3. Reactors -
Explosions
- I. Title
II. Davis,
Robert L.
III. Project

Abstract card is
unclassified.

Naval Ordnance Laboratory, White Oak, Md.
(NOL technical report 63-134)

THE USE OF A KNOCK-OFF TUBE AS A QUICK PRES-
SURE-RELEASE MECHANISM (U), by Robert L.
Davis. 4 May 1964. v.p. illus., charts,
tables, diagrs. NOL task-285.

UNCLASSIFIED

This report presents an analysis of the use
of a knock-off tube as a quick pressure-re-
lease mechanism for a piezoelectric gage cali-
bration system. This system is capable of de-
veloping pressures up to 50,000 psi in a
closed oil filled chamber. An equation relat-
ing the pressure-release time to the initial
conditions of the calibration system has been
derived and verified for select choices of
initial conditions that are compatible with
requirements of the NOL reactor-vessel con-
tainment program.

1. Calibrators
 2. Gages,
Piezoelectric -
 3. Reactors -
Explosions
- I. Title
II. Davis,
Robert L.
III. Project

Abstract card is
unclassified.