

utilized in the preparation of a Cr^{4+} -containing perovskite, PbCrO_3 . (17)

Acknowledgments

The valuable contributions of the following people are gratefully acknowledged: R.A. Munson, for his help with pressure-temperature calibration; H.M. Strong, for making available his data on the melting of NaCl as a function of pressure; Mrs. Edith Raviola, for all the metallographic work; Mrs. Alice Davis and L.M. Osika for c/a determinations on CrO_2 ; George Dinsmore, for his most helpful advice and observations on many aspects of the "belt" and associated equipment, and for his skillful preparations of cells for use in that apparatus. For sending the results of his study prior to publication, I am particularly grateful to Dr. O. Fukunaga of the Tokyo Institute of Technology and the Institute for Geophysics, UCLA.

References

1. B. Kubota, J. Am. Ceram. Soc., 44 (5), 239 (1961).
2. T.J. Swoboda, P. Arthur, Jr., N.L. Cox, J.N. Ingraham, A.L. Oppgaard, and M.S. Sadler, J. Appl. Phys., Suppl., 32 (3), 374 (1961).
3. F.J. Darnell, J. Appl. Phys., 32 (7), 1269 (1961).
4. F.J. Darnell and W.H. Cloud, Proc. Colloq. Intern. CNRS, No. 149.
5. D.S. Chapin, J.A. Kafalas, and J.M. Honig, J. Phys. Chem., 69 (4), 1402 (1965).
6. N. Nakayama, E. Hirota, and T. Nishikawa, J. Am. Ceram. Soc., 49 (1), 52 (1966).
7. Y. Goto and T. Kitamura, J. Japan. Soc. Powder Met., 9, 109 (1962).