Res

CHAPTER 4

Electrical Conductivity and Electronic Transitions at High Pressur	es											
N. H. March												
I. Outline	. 241											
II. Pressure Ionization and Electronic Transitions	. 244											
III. Metallic Transitions at Lower Pressures	. 254											
IV. Electrical Conductivity of Alkali Metals	. 263											
V. Pressure-dependence of Band Structures of Simpler Metals .	. 267											
VI. Excitonic Phases: Transcending Band Theory	. 280											
VII. Effect of Pressure on Transition Temperatures of Cooperative												
Phenomena	. 290											
VIII. Alloy Systems	. 298											
IX. Speculations on Crystal Structures in Extreme High Pressur	e											
Regime	. 303											
X. Concluding Remarks	. 304											
References	. 305											
Appendix I. Velocity of Sound in Metals and Metallic Alloys .	. 308											
A. Non-liner plasma	. 308											
B. Extension of Bohr-Staver formula for liquid metal alloys .	309											
Appendix II. Analogy between Excitonic Phase and Superconduct-												
ing State	. 311											

CHAPTER 5

Adsorption of Gases at High Pressures

P. G. MENON

I. Introductio	n											•				313
II. Experiment	al	Met	ho	ds												316
III. Results .						۰.										335
IV. Adsorption	E	quili	ibri	a in	M	ulti	com	ipo	nent	G	as N	Aix	ture	s		350
V. Miscellaneo	ous											•				359
References		·			·	•	·		÷	•	•	·	·	·	·	363
AUTHOR INDEX								¥ I								367
SUBJECT INDEX																379

CHAPTER 1

advan. High

High Pressure Mössbauer Studies†

H. G. DRICKAMER, S. C. FUNG and G. K. LEWIS, JR.[‡] Department of Chemistry and Chemical Engineering, and Materials Research Laboratory, University of Illinois, Urbana, Illinois, U.S.A.

										1
Introduction									12.2	11
Pressure Effects			• •			••	•••			11
A. Isomer shift							••		••	10
B. Quadrupole s	plitting			10.04	•		•••	/**	• •	93
C. Magnetism						••	••		••	26
D. The measures	ment of j	num	ber	• •		• •	••		••	90
E. Conversion of	FeIII to	Fell		• 190	•		••	••	• •	24
F. High pressure	e Mössba	uer st	udies of	n glass	• •		•••		••	28
ferences		••	••			••		••	••	90
	Introduction Pressure Effects A. Isomer shift B. Quadrupole s C. Magnetism D. The measures E. Conversion of F. High pressure ferences	Introduction Pressure Effects A. Isomer shift B. Quadrupole splitting C. Magnetism D. The measurement of <i>j</i> E. Conversion of Fe ^{III} to F. High pressure Mössba ferences	Introduction Pressure Effects B. Quadrupole splitting D. The measurement of f numi E. Conversion of Fe ^{III} to Fe ^{II} F. High pressure Mössbauer st ferences	Introduction Pressure Effects A. Isomer shift B. Quadrupole splitting C. Magnetism D. The measurement of f number E. Conversion of Fe ^{III} to Fe ^{II} F. High pressure Mössbauer studies on ferences	Introduction Pressure Effects A. Isomer shift B. Quadrupole splitting C. Magnetism D. The measurement of f number E. Conversion of Fe ^{III} to Fe ^{II} F. High pressure Mössbauer studies on glass ferences	Introduction	Introduction	Introduction	Introduction	Introduction

I. INTRODUCTION

The existence of the Mössbauer Effect (that is recoilless resonant radiation) was first discovered in 1958 (Mössbauer, 1958a, b). The principles involved have been reviewed in detail in the literature (Frauenfelder, 1963; Wertheim, 1964), so they will only be outlined here.

When a radioactive atom decays by gamma ray emission, the nucleus goes from an excited state to the ground state, and the energy of the gamma ray is a measure of the energy difference between these states. Consider first the case of a free atom. The emitted gamma ray will have associated with it a certain momentum, and in order to conserve momentum the atom must recoil. However, this recoil has associated with it kinetic energy which must reduce the energy of the gamma ray; the act of absorption of a gamma ray by a nucleus involves the inverse process. Thus the emission and absorption processes are not in resonance.

If, however, one fixes the atom in a crystal, the situation may be

[†]This work was supported in part by the United States Atomic Energy Commission under Contract AT(11-1)-1198. [‡]Present Address: Eastern Laboratories, E. I. duPont Company, Gibbstown, New Jersey, U.S.A.