

### Acknowledgements

This work was carried out under the auspices of the U.S. Atomic Energy Commission. Some of the measurements reviewed in this paper were carried out by Messrs. H. J. McSkimin and T. Bateman at the Bell Telephone Laboratories. Messrs. R. Black and C. J. Renken assisted in obtaining the new results given here. The author is also grateful to Drs. M. Mueller and D. Lam for helpful discussions and to Mr. L. T. Lloyd for reviewing the manuscript.

### References

- 1) E. S. Fisher and H. J. McSkimin, *J. Appl. Phys.* **29** (1958) 1473
- 2) H. J. McSkimin and E. S. Fisher, *J. Appl. Phys.* **31** (1960) 1627
- 3) E. S. Fisher and H. J. McSkimin, *Phys. Rev.* **124** (1961) 67
- 4) C. S. Barrett, M. H. Mueller and R. L. Hitterman, *Phys. Rev.* **129** (1963) 625
- 5) J. R. Bridge, C. M. Schwartz and D. A. Vaughn, *Trans. AIME* **206** (1956) 1282
- 6) A. J. Dahl and M. S. Van Dusen, *J. Res. Natl. Bur. Std. (U.S.)* **39** (1947) 53
- 7) D. C. Ginnings and R. J. Corruccini, U.S. AEC Report NBS-A3947 (1946)
- 8) H. H. Chiswick *et al.*, *Proc. Sec. Geneva Conf. Peaceful Uses of Atomic Energy*, Vol. 6 (1958) 394
- 9) J. Friedel, *J. Phys. Chem. Solids* **1** (1956) 175
- 10) E. S. Fisher and C. J. Renken, *Phys. Rev.* **135** (1964) A482
- 11) H. J. McSkimin, *IRE Trans. on Ultrasonic Eng.* **AE-5** (1957) 25
- 12) E. S. Fisher and C. J. Renken, *J. Acoust. Soc. Am.* **35** (1963) 1005
- 13) L. T. Lloyd and C. S. Barrett, *J. Nucl. Mat.* **18** (1966) 55
- 14) E. Grüneisen and E. Goens, *Z. Phys.* **29** (1924) 141
- 15) H. E. Flotow and H. Lohr, *J. Phys. Chem.* **64** (1960) 904
- 16) P. L. Smith and N. M. Wolcott, *Conf. de Phys. des Basses Temp. (France) annexe 1955-3* (September, 1955)
- 17) M. H. Mueller, Argonne (USA) Report, ANL-6516 (1961) 210