


→ talc + SiO₂. The transformation of palygorskite is more complex:



3. The difference in the phase transformations of sepiolite and palygorskite, two minerals with similar structure, is determined by the difference in their chemical composition.

REFERENCES

1. Brauner, K. and A. Preisinger, 1956. Structure of sepiolite. Miner. Petrogr. Mitt., №6, s.120.
2. Bradley, W.F., 1940. Structure of attapulgite. Amer. Mineralogist, №25, p.405.
3. Goylo, É.A., N.V. Kotov and V.A. Frank-Kamenetskiy, 1966. Èksperimental'noye issledovaniye vliyaniya stressa i gidrostaticheskogo davleniya pri razlichnykh temperaturakh na kristallicheskuyu strukturu kaolinita. ^{In:} ~~Vestnik~~ Fizicheskiye metody issledovaniya mineralov osadochnykh porod (EXPERIMENTAL INVESTIGATION OF THE EFFECT OF STRESS AND HYDROSTATIC PRESSURE AT DIFFERENT TEMPERATURES ON THE STRUCTURE OF KAOLINITE. PHYSICAL METHODS OF INVESTIGATION OF MINERALS OF SEDIMENTARY ROCKS). "Nauka", Moscow.
4. Frank-Kamenetzky, V.A., N.V. Kotov and E.A. Goylo, 1966. Strukturänderung von Tonmineralen unter verschiedenen thermodynamischen Bedingungen. Kristall. und Technik, ~~№1~~, ^{№1} ~~№1~~, №3, Berlin.
5. Klochkova, G.N., 1968a. K kharakteristike pamirskogo palygorskita (CHARACTERISTICS OF PALYGORSKITE FROM THE PAMIRS). Doklady Akad. Nauk Tadzh.SSR, №XI, No.8.