

onal studies were employed.  $10^5$  lb/in<sup>2</sup>, the alloys were re complete homogenization. anneal and after the com- with the approximate per- for compositions greater pha phase produced was 1%

by Lomer<sup>(9)</sup>. He proposed a correspondence matrix which relates the lattices, accounting for nearly all of the atomic portions and suggests that the transformation is martensitic.

|  | % Alpha after Compression | T <sub>f</sub> (3) °C |
|--|---------------------------|-----------------------|
|  | 62.0                      | 250                   |
|  | 35.0                      | 260                   |
|  | 17.0                      | 230                   |
|  | 4.5                       | 240                   |
|  | -                         | -                     |
|  | 1.0                       | -                     |




Fig 6-H Effect of 150,000 lb/in<sup>2</sup> Pressure on Alpha Phase Formation and Effect of Anneal Temperature on the Alpha to Delta Transformation.

4 Conclusions

- 4.1 A lattice parameter determination on solid specimens produces a 0.1% larger lattice parameter for a given composition than when annealed powder is used.
- 4.2 Lattice parameter and density data decrease with increasing gallium content while hardness increases.
- 4.3 The density data of all investigators are in good agreement while the hardness data contain discrepancies.
- 4.4 The compositional dependence of alpha phase formation after application of 150,000 lb/in<sup>2</sup> pressure was found to be in the same direction but displaced from that of a previous investigator. The method of alloy preparation may be the cause.
- 4.5 In cored alloys, alpha-delta phase mixtures formed by pressure are metastable both with respect to anneal temperature up to 280°C and subsequent room temperature storage. The increase in room temperature stability with increasing anneal temperature was attributed to gallium diffusion resul-

ired for completion of

ring Compression of

erature on percent alpha s illustrated in Fig 6-H. forming from alpha, beta l temperature. Complete only after heating to the cored alloys, it was formed in homogenized wt.-% Ga is stable. ge with respect to stor- to three months.

mation has been considered