

I conclude that diffusion creep can reasonably be expected to be a significant flow process in the mantle. In fact, the most probable values of  $E^*$ ,  $V^*$ ,  $D_0$ , and  $R$  lead to a predicted effective viscosity, for depths to 1500 km and for all except the lowest of the various proposed temperature distributions, which is about equal to that deduced from the observed uplift of unloaded sections of the earth's crust. Diffusion creep is a consequence of the thermally activated mobility of atoms in crystals and so occurs quite generally in polycrystalline materials. It is not dependent on the presence of any type of specialized structure (e.g., particular dislocation arrays or obstacles to dislocation motion), and the mechanism is established by both theory and experiment beyond any reasonable doubt. In contrast, the calculations of viscosity in the earth by Cook [1963] are based on a model whose applicability to close-packed crystalline structures is not established, and they lead to activation energies that are much too low by any reasonable physical standards.

The occurrence of diffusion creep fixes a definite minimum for the resistance of a material to creep deformation. For the effective viscosity of an appreciable part of the mantle to be greater than  $10^{20}$  poises, the amount required for the current figure of the earth to have been retained from an earlier equilibrium shape [MacDonald, 1963], either  $E^*$  and  $V^*$  would have to be unreasonably large or the temperatures at depths below 1000 km would have to be as low as those proposed by Gutenberg.

The occurrence of diffusion creep in the mantle does not rule out creep deformation at a more rapid rate due to motion of dislocations. Such deformation is expected, for example, in regions of orogenic and earthquake activity. However, the occurrence of diffusion creep at significant rates indicates that the assumption of Newtonian viscosity usually made in calculations of large-scale flow processes in the mantle is a reasonable one.

*Acknowledgment.* This research was supported by the Office of Naval Research.

## REFERENCES

- Chang, R., High temperature creep and anelastic phenomena in polycrystalline refractory oxides, *J. Nuclear Mater.*, **1**, 174-181, 1959.
- Cook, M. A., Viscosity-depth profiles according to the Ree-Eyring viscosity relations, *J. Geophys. Res.*, **68**, 3515-3520, 1963.
- Crittenden, M. D., Effective viscosity of the earth derived from isostatic loading of Pleistocene Lake Bonneville, *J. Geophys. Res.*, **68**, 5517-5530, 1963.
- Davies, M. O., Electrical conductivity measurements on polycrystalline MgO, *J. Chem. Phys.*, **38**, 2047, 1963.
- Freidel, J., *Dislocations*, p. 312, Addison Wesley, Reading, Mass., 1964.
- Folweiler, J., Creep behavior of pore-free polycrystalline aluminum oxide, *J. Appl. Phys.*, **32**, 773-778, 1961.
- Gutenberg, B., The cooling of the earth and the temperature of its interior, in *Internal Constitution of the Earth*, 2nd ed., pp. 150-166, Dover, New York, 1951.
- Herring, C., Diffusional viscosity of a polycrystalline solid, *J. Appl. Phys.*, **21**, 437, 1950.
- Kääriäinen, E., On the recent uplift of the earth's crust in Finland, *Publ. Finn. Geod. Inst.*, **42**, 1953.
- Kê, T. S., Experimental evidence of the viscous behavior of grain boundaries in metals, *Phys. Rev.*, **71**, 533, 1947.
- Keyes, R. W., Continuum model of the effect of pressure on activated processes, in *Solids under Pressure*, edited by W. Paul and D. M. Warschauer, p. 71, McGraw-Hill Book Company, New York, 1963.
- Linder, R., and G. D. Parfitt, Diffusion of radioactive magnesium in magnesium oxide crystals, *J. Chem. Phys.*, **26**, 182, 1957.
- Lubimova, H. A., Thermal history of the earth with consideration of the variable thermal conductivity of its mantle, *Geophys. J.*, **1**, 115-134, 1958.
- MacDonald, G. J. F., On the internal constitution of the inner planets, *J. Geophys. Res.*, **67**, 2945-2974, 1962.
- MacDonald, G. J. F., The deep structure of continents, *Rev. Geophys.*, **1**, 587-665, 1963.
- McLean, D., *Mechanical Properties of Metals*, pp. 285-300, John Wiley & Sons, New York, 1962.
- Oishi, Y., and W. D. Kingery, Self-diffusion of oxygen in single crystal and polycrystalline aluminum oxide, *J. Chem. Phys.*, **33**, 480-486, 1960.
- Orowan, E., Continental drift and the origin of mountains, *Science*, **146**, 1003-1010, 1964.
- Paladino, A. E., and R. L. Coble, Effect of grain boundaries on diffusion-controlled processes in aluminum oxide, *J. Am. Ceram. Soc.*, **46**, 133, 1963.
- Pierce, C. B., Effect of hydrostatic pressure on ionic conductivity in doped single crystals of sodium chloride, potassium chloride, and rubidium chloride, *Phys. Rev.*, **123**, 744-754, 1961.
- Runcorn, S. K., Satellite gravity measurements and a laminar viscous flow model of the earth's mantle, *J. Geophys. Res.*, **69**, 4389-4394, 1964.
- Scott, R., A. R. Hall, and J. Williams, The plastic

- deformation of uranium oxide above 800°C, *J. Nuclear Mater.*, *1*, 39-48, 1959.
- Warshaw, S. I., and F. H. Norton, Deformation behavior of polycrystalline aluminum oxide, *J. Am. Ceram. Soc.*, *45*, 479, 1962.
- Weertman, J., Theory of steady-state creep based on dislocation climb, *J. Appl. Phys.*, *26*, 1213, 1955.

(Manuscript received February 2, 1965.)