

- [41] Holborn, L., and Otto, J., Über die isothermen einiger gase zwischen 400 und -183 grad. (On the isotherms of various gases between 400 and -183 degrees C.), Z. Physik **33**, 1-11 (1925).
- [42] Hanley, H. J. M., Comparison of the Lennard-Jones, Exp: 6 and Kihara potential functions using viscosity data of dilute argon, J. Chem. Phys. **44**, 4219 (1966).
- [43] Private communication from M. Klein, National Bureau of Standards, Gaithersburg, Md. (1967).
- [44] Hanley, H. J. M., and Klein, M., On the selection of the intermolecular potential function: application of the statistical mechanical theory to experiment, NBS Tech. Note No. 360 (Nov. 1967).
- Hanley, H. J. M., and Klein, M. On the selection of the intermolecular potential function: Part 2, from pair properties, Trans. Faraday Soc. (in press).
- [45] Roebuck, J. R., and Osterberg, H., The Joule-Thomson effect in argon, Phys. Rev. **46**, 785-790 (1934).
- [46] Roebuck, J. R., and Osterberg, H., The Joule-Thomson effect in mixtures of helium and argon, J. Chem. Phys. **8**, 627-635 (1940).
- [47] Michels, A., Levelt, J. M., and Wolkers, G. J., Thermodynamic properties of argon at temperatures between 0 and -140 degrees C and at densities up to 640 amagat (pressures up to 1050 atmospheres), Physica **24**, 769-794 (1958).
- [48] Michels, A., Lunbeck, R. J., and Wolkers, G. J., Thermodynamical properties of argon as function of density and temperature between 0 and 150 degrees C and densities to 640 amagat, Physica **15**, 689-695 (1949).
- [49] Weir, R. D., Jones, I. W., Rowlinson, J. S., and Saville, G., Equation of state of gases at low temperatures. Part 1. Second virial coefficients of argon and krypton., Trans. Faraday Soc. **63**, No. 534, 1320-1329 (1967).
- [50] Holborn, L., and Otto, J., The isotherms of several gases up to 400 degrees and their importance for the gas thermometer, Z. Phys. **23**, 77-94 (1924).
- [51] Holborn, L., and Otto, J., Isotherms for helium, nitrogen, and argon below 0 degrees C, Z. Phys. **30**, 320-328 (1924).
- [52] Holborn, L., and Schultze, H., Über die Druckwage und die Isothermen von Luft, Argon und Helium Zwischen 0 und 200 Degrees. (Concerning the pressure scale and the isotherms of air, argon, and helium between 0 and 200 Degrees), Ann. Phys. **47**, 1089-1111 (1915).
- [53] van Itterbeek, A., and van Paemel, O., Measurements on the velocity of sound in gaseous argon and deuterium respectively at liquid oxygen and hydrogen temperatures. Calculation and discussion of the second virial coefficient of argon, Physica **5**, 845-853 (1938).
- [54] Voronel, A. V., Snigirev, V. G., and Chashkin, Yu. R., Behavior of the specific heat C_v of pure substances near the critical point, Sov. Phys. JETP **21**, No. 3, 653-655 (Sept. 1965); Trans. of Zh. Eksp. Teor. Fiz. **48**, 981-984 (Mar. 1965).
- [55] Lestz, S. S., Acoustic isotherms for nitrogen, argon, and krypton, J. Chem. Phys. **38**, 2830-2834 (1963).
- [56] Sengers, J. M. H. L., and Vicentini-Missoni, M., Thermodynamic Anomalies near the Gas-liquid Critical Point, Proceedings of the Fourth Symposium on Thermophysical Properties, pp. 79-86 (1968).
- [57] Heller, P., Experimental investigations of critical phenomena, Repts. Progr. Phys. **30**, Pt. 2, 731-826 (1967).
- [58] Pings, C. J., and Teague, R. K., Experimental study of the shape of the coexistence curve of argon near the critical state, Phys. Letters **26A**, No. 10, 496-497 (Apr. 1968).
- [59] van Witzenburg, W., and Stryland, J. C., Density measurements of compressed solid and liquid argon, Can. J. Phys. **46**, 811-816 (1968).