## Acknowledgements

The author acknowledges the skill and assistance of W.O. Hibberson in carrying out the experimental runs. The installation and calibration of the TPD electron probe by S.J.B. Reed and N.G. Ware has added greatly to the usefulness of this technique in experimental petrology. The critical comments of I.A. Nicholls, A.E. Ringwood and T.H. Green on the manuscript, particularly in areas where the present study integrates with their own experiments, resulted in improvements to the data (role of Fe-loss, particularly) and to the manuscript. The comments of the reviewers for the manuscript have materially improved the paper. These contributions are gratefully acknowledged.

## References

- I. Kushiro, N. Shimizu and Y. Nakamura, Compositions of coexisting liquid and solid phases formed upon melting of natural garnet and spinel lherzolites at high pressures: A preliminary report, Earth Planet. Sci. Letters 14 (1972) 19.
- [2] I.A. Nicholls and A.E. Ringwood, Production of silicasaturated tholeiitic magmas in island arcs, Earth Planet. Sci. Letters (in press).
- [3] I.A. Nicholls and A.E. Ringwood, Effect of water on olivine stability in tholeiites and the production of silicasaturated magmas in the island arc environment (submitted for publication).
- [4] A.E. Ringwood, Composition and evolution of the upper mantle, in: The earth's crust and upper mantle, P.J. Hart ed., Amer. Geophys. Union Monograph 13 (1969) 1.
- [5] D.H. Green and A.E. Ringwood, The stability fields of aluminous pyroxene peridotite and garnet peridotite and their relevance in upper mantle structure, Earth Planet. Sci. Letters 3 (1967) 151.
- [6] D.H. Green and A.E. Ringwood, Mineralogy of peridotitic compositions under upper mantle conditions, Phys. Earth Planet. Interiors 3 (1970) 359.
- [7] I. Kushiro, Y. Syono and S. Akimoto, Melting of a peridotite nodule at high pressures and high water pressures, J. Geophys. Res. 73 (1968) 6023.
- [8] H.S. Yoder, Calc-alkali<sup>o</sup> andesites: Experimental data bearing on the origin of their assumed characteristics, Oregon Dept. Geol. Mineral. Ind. Bull. 65 (1969) 77.
- [9] I. Kushiro, Systems bearing on melting of the upper mantle under hydrous conditions, Carnegie Inst. Washington Year Book 68 (1970) 240.
- [10] L.A. Fontijn, A.B. Bok and J.G. Kornet, The TPD electron probe X-ray Micro-Analyzer in: 5th Internat. Congress on X-ray Optics and Micro-Analysis, G. Mollenstedt and K.H. Gaukler, eds. (1969) p. 261.
- [11] D.H. Green, Conditions of melting of basanite magma from garnet peridotite, Earth Planet. Sci. Letters 17 (1973) 456.

- [12] D.H. Green, Magmatic activity as the major process in the chemical evolution of the earth's crust and upper mantle, Tectonophysics 13 (1972) 47.
- [13] D.H. Green, Contrasted melting relations in a pyrolite upper mantle under mid-oceanic ridge, stable crust and island arc environments, Tectonophysics (in press).
- [14] I.B. Lambert and P.J. Wyllie, Stability of hornblende and a model for the low velocity zone, Nature 219 (1968) 1240.
- [15] D.H. Green, The origin of basaltic and nephelinitic magmas, Trans. Leicester Literary and Philosophical Soc. 64 (1970) 28.
- [16] A.E. Ringwood, The chemical composition and origin of the earth, in: Advances in earth science, P.M. Hurley ed. (M.I.T. Press, Cambridge Mass., 1966) p. 287-356.
- [17] D.H. Green, Compositions of basaltic magmas as indicators of conditions of origin: Application to oceanic volcanism, Phil. Trans. Roy. Soc. A 268 (1970) 707.
- [18] P. Jakes and J.B. Gill, Rare earth elements and the island arc tholeiitic series, Earth Planet. Sci. Letters 9 (1970) 17.
- [19] P.J. Wyllie, Role of water in magma generation and initiation of diapiric uprise in the mantle, J. Geophys. Res. 76 (1972) 1328.
- [20] P. Jakes and A.J.R. White, Major and trace element abundances in volcanic rocks of orogenic areas, Geol. Soc. Amer. Bull. 83 (1972) 29.
- [21] D.H. Green and A.E. Ringwood, The genesis of basaltic magmas, Contr. Mineral. Petrol. 15 (1967) 103.
- [22] P.L. Roeder and R.F. Emslie, Olivine-liquid equilibrium, Centr. Mineral. Petrol. 29 (1970) 275.
- [23] A.J. Irving, Geochemical and high pressure experimental studies of xenoliths, megacrysts and basalts from S.E. Australia, unpublished Ph. D. thesis, Australian Nat. Univ., Canberra (1971).
- [24] D.H. Green, The petrogenesis of the high-temperature peridotite in the Lizard area, Cornwall J. Petrol. 5 (1964) 134.
- [25] D.B. MacKenzie, High temperature alpine-type peridotite from Venezuela, Geol. Soc. Amer. Bull. 71 (1960) 303.
- [26] F. Frey and D.H. Green, The geochemistry and origin of lherzolite inclusions in Victorian basanites (in preparation).
- [27] R. Varne, Hornblende lherzolite and the upper mantle, Contr. Mineral. Petrol. 27 (1970) 45.
- [28] W.B. Dallwitz, D.H. Green and J.E. Thompson, Clinoenstatite in a volcanic rock from the Cape Vogel area Papua, J. Petrol. 7 (1966) 375.
- [29] I. Kushiro, Effect of water on the composition of magmas formed at high pressures, J. Petrol. 13 (1972) 311.
- [30] S.J.B. Reed and N.G. Ware, Quantitative electron microprobe analysis using a lithium-drifted silicon detecton (submitted for publication, 1972).
- [31] W.B. Dallwitz, Chemical composition and genesis of clinoenstatite-bearing volcanic rocks from Cape Vogel, Papua: A discussion in: Proc. 23rd Internat. Geol. Congress 2 (1968) 229.