

B. Z. YEHUDA & SON  
DIAMOND RESEARCH LABORATORY  
55, NACHMANY ST., TEL-AVIV 67136  
P. O. B. 14028—Cable: DIABEN, Tel-Aviv

טל. 615768 .TEL

בן ציון יהודה ובנו  
מעבדה למחקר יהלומים  
רחוב נחמני 55, תל-אביב 67136  
ת.ד. 14028 - למברקים דיאבן, ת"א

3 December 1973

Dr. H.T. Hall  
High Pressure Data Center  
Brigham Young University  
Provo, Utah


Dear Sir;

As we are seriously thinking of entering into commercial diamond synthesis we'll be grateful if you inform us about the following:

- A. Are your early belt apparatus patents still valid?
- B. Can you recommend a supplier for large belt apparatuses of internal diameter of approximately 40 mm.
- C. We know that in the last years you developed new multi-anvils high pressure apparatuses of large high pressure volume. Is one of these commercially available?
- D. Can we have by air mail reprints of your own publications which you think might be of interest for us.
- E. We understand that the High Pressure Data Center is publishing abstracts, catalogues and bibliography. Please send by air mail the list of annual or collective publications.

We'll be thankful for your co-operation, and hope to hear soon from you

Sincerely



Zvi Yehuda  
B.Z. Yehuda & Son

40002761

## H. TRACY HALL, INCORPORATED

P.O. BOX 7533 UNIVERSITY STATION

PROVO, UTAH 84601

H. TRACY HALL  
DANIEL R. BARTHOLOMEW  
H. TRACY HALL, JR.  
DAVID R. HALL  
J. MARTIN NEIL

(801) 374-2796  
OR 373-3323  
1190 COLUMBIA LANE

Zvi Yehuda  
B. Z. Yhuda & Son  
55 Nachmany St.  
Tel-Aviv  
ISRAEL

19 December 1973

Dear Mr. Yehuda:

I will answer the questions of your December 3rd letter as you listed them.

A. My early Belt patents (owned by the General Electric Co.) expire in June of 1977 in the U.S.A. In some other countries they may expire some two years earlier.

B. Our firm manufactures large high pressure devices of all kinds. Lead time on commercial size equipment is now 2-3 years.

C. We currently have on hand one 300 ton cubic press of pilot plant size that is available at \$68,400.00 delivered in Provo, Utah.

D. & E. I have asked Dr. Leo Merrill, associate director of the High Pressure Data Center, Rm. 574 JRCL, Brigham Young University to send these items to you.

Thank you for your interest.

Sincerely,

*H. Tracy Hall*  
H. Tracy Hall, President

40002762